



AN AMERICAN WORKHORSE SINCE 1916

IT WON'T TAKE YOU LONG TO FIND OUT WHAT PROFESSIONALS ALREADY KNOW. NOTHING ELSE QUITE MEASURES UP TO A GRAVELY.



HOMEOWNER

Accessories/ Attachments

Optional:

- 3-BAG POWERED BAGGER KIT
- CHROME WHEEL COVERS
- DISCHARGE COVER KIT
- DUMP CART
- FLEXTEND™ SHOULDER SUPPORT SYSTEM
- HEADLIGHT KIT
- HITCH KIT
- MULCHING KIT
- OPERATOR CONTROL CHUTE Baffle
- PLUG AERATOR
- POLY-ROLLER
- SPRAYER
- SPREADER
- SEAT SUSPENSION KIT
- STRIPING KIT

ZT HD Series

- **10-gauge welded deck design** with reinforced leading edge
- **Maintenance-free XL Spindles®** with durable cast iron housing
- **Durable rubber discharge chute** eliminates mower contact damage to trees or other landscape objects
- **Hydro-Gear® ZT-3100 series drive system** provides more torque/load capacity, which is similar to the Professional Series mower
- **Ergonomically designed control arms** with three mounting positions offer options to accommodate the operator; handles flip out to make it easier to enter or exit the cockpit with vibration isolators adding operator comfort
- **Commercial-style tapered roller bearings** with 3/8" front caster forks add strength and durability
- **13" diameter front tires** are larger than most in the category and provide better stability and enhance maneuverability
- **Adjustable high-back seat** with seat springs and armrest is standard assuring a comfortable ride



ZT HD SERIES

PRODUCT NAME	ZT HD 44	ZT HD 48	ZT HD 52	ZT HD 60	ZT HD 60
MODEL NUMBER	991090	991082	991083	991084	991091
ENGINE	Kawasaki® FR Twin	Kawasaki® FR Twin	Kawasaki® FR Twin	Kawasaki® FR Twin	Kohler® Courage Pro
HORSEPOWER	23	24	24	24	27
DISPLACEMENT (cc)	726	726	726	726	725
DRIVE SYSTEM	Hydro-Gear® ZT-3100 Transaxles	Hydro-Gear® ZT-3100 Transaxles	Hydro-Gear® ZT-3100 Transaxles	Hydro-Gear® ZT-3100 Transaxles	Hydro-Gear® ZT-3100 Transaxles
FUEL CAPACITY - Gallons (LITERS)	6 (22.7)	6 (22.7)	6 (22.7)	6 (22.7)	6 (22.7)
GROUND SPEED (APPROX. Mph) (Forward/Reverse)	8 mph / 4 mph	8 mph / 4 mph	8 mph / 4 mph	8 mph / 4 mph	8 mph / 4 mph
STARTER	Electric	Electric	Electric	Electric	Electric
DECK					
DECK MATERIAL	10 GA Steel w/.25" Spindle Reinforcement	10 GA Steel w/.25" Spindle Reinforcement	10 GA Steel w/.25" Spindle Reinforcement	10 GA Steel w/.25" Spindle Reinforcement	10 GA Steel w/.25" Spindle Reinforcement
DECK CONSTRUCTION	Welded	Welded	Welded	Welded	Welded
NUMBER OF SPINDLES	3	3	3	3	3
BLADE TIP SPEED (FPM)	18,000	18,000	18,000	18,000	18,000
SPINDLE HOUSING MATERIAL	Cast Iron	Cast Iron	Cast Iron	Cast Iron	Cast Iron
SPINDLE SHAFT	Steel	Steel	Steel	Steel	Steel
SPINDLE BEARINGS	Ball Bearing	Ball Bearing	Ball Bearing	Ball Bearing	Ball Bearing
DECK DRIVE	Belt	Belt	Belt	Belt	Belt
DECK ENGAGEMENT	Electric Ogura® GT1A	Electric Ogura® GT1A	Electric Ogura® GT1A	Electric Ogura® GT1A	Electric Ogura® GT1A
DECK LIFT SYSTEM	Adjustable Foot Operated	Adjustable Foot Operated	Adjustable Foot Operated	Adjustable Foot Operated	Adjustable Foot Operated
CUTTING WIDTH	44"	48"	52"	60"	60"
CUTTING HEIGHTS	1"-5"	1"-5"	1"-5"	1"-5"	1"-5"
CUTTING POSITIONS	9	9	9	9	9
TIRES					
FRONT AXLE	Fixed	Fixed	Fixed	Fixed	Fixed
FRONT	Smooth 13 x 5-6	Smooth 13 x 5-6	Smooth 13 x 5-6	Smooth 13 x 5-6	Smooth 13 x 5-6
REAR	20 x 10-10	20 x 10-10	20 x 10-10	20 x 10-10	20 x 10-10
FEATURES					
HEADLIGHTS	Optional	Optional	Optional	Optional	Optional
SEAT	Adjustable High-Back Seat w/ Springs				
HOURLY METER	Standard	Standard	Standard	Standard	Standard
MACHINE DIMENSION					
WEIGHT (lbs)	800	823	832	853	853
LENGTH (inches)	71.5	71.5	74.5	74.5	74.5
WIDTH (inches)	46.8 (w/o chute)	50 (w/o chute)	55.5 (w/o chute)	62.8 (w/o chute)	62.8 (w/o chute)
HEIGHT	42	42	42	42	42
WARRANTY					
UNIT	1 Year Limited Commercial				
	3 Year Limited Consumer				
DECK SHELL & FRAME	5 Year Limited Deck Shell & Frame				

Updated 2/2012

An *Ariens* Company Brand

© Copyright 2012 Ariens Company. ® Registered trademark and ™ trademark of Ariens Company. Hydro-Gear, Kawasaki, Ogura and Warner are registered trademarks of their respective companies. The engine horsepower information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower will be less. Visit www.ariens.com for a complete listing of engine manufacturer power rating information. Product features and specifications subject to change without notice. Photos are a representation of product; product may differ.



WWW.GRAVELY.COM