

# PRO-TURN® 200 SERIES

LEARN MORE AT [GRAVELY.COM](https://www.gravelly.com)

Simple math says that 400 is greater than 200 but, this machine is out to prove otherwise. The Pro-Turn 200 has the same DNA, determination and dapper new design as the 400 while delivering signature, Gravelly performance.



**X-FACTOR® II DECK** is fabricated from top to bottom, providing industrial strength peace of mind.

**MAINTENANCE-FREE SPINDLES** with forged aluminum housings for lasting durability.

**FLIP-UP SIDE DISCHARGE CHUTE** reduces damage to the surrounding environment.

**FOOT-OPERATED DECK LIFT SYSTEM** provide effortless adjustments between 17 cutting positions in 1/4" increments.

**CONSTANT BELT TENSION SYSTEM (CBT)** ensures the belt tension is constant, blade speed is consistent and cutting results are right on the money.

**FULL SUSPENSION SEAT** 200 series seat with integral suspension for added lateral stability and improved durability, plus added vibration control and a 4-inch seat slide for all-day cruising comfort.

**FOLDABLE ROPS** comes standard to provide extra protection for the operator.

**UPDATED DESIGN** Improves the line of sight for the operator to easily see the deck cutting edge.



NO HOUR LIMIT FIRST TWO YEARS

LIMITED LIFETIME DECK SHELL & FRAME

See your professional Gravelly® dealer for complete warranty details.



PRODUCT NAME	PRO-TURN 260	PRO-TURN 252	PRO-TURN 260	PRO-TURN 272	PRO-TURN 260	PRO-TURN 260	PRO-TURN 260
<b>MODEL #</b>	992267	992268	992269	992270	992272	992281	992296
<b>ENGINE</b>	Kohler® ZT740	Kawasaki® FX850V	Kawasaki® FX850V	Kawasaki® FX921V	Kohler® EFI ECV860	Yamaha® EFI MX775V	Yamaha® MX825V
	Air-cooled Vertical Twin						
	Heavy-Duty Air Cleaner						
<b>HORSEPOWER</b>	25 hp	27 hp	27 hp	31 hp	29 hp	29 hp	27.5 hp
<b>DISPLACEMENT</b>	747 cc	852 cc	852 cc	999 cc	824 cc	824 cc	824 cc
<b>DRIVE SYSTEM</b>	Hydro-Gear® ZT-5400 Integrated pump/motor						
<b>FUEL CAPACITY</b>	13.4 Gallon (50.7 L)						
<b>GROUND SPEED (APPROX. MPH) (FWD/REV)</b>	13 mph / 6 mph						
<b>STARTER</b>	Electric						
<b>DECK MATERIAL</b>	7 ga. steel w/ .25 spindle reinforcement						
<b>DECK CONSTRUCTION</b>	Welded						
<b>NUMBER OF SPINDLES</b>	3						
<b>BLADE TIP SPEED (FPM)</b>	18,633	18,348	18,633	18,229	18,633	18,633	18,633
<b>SPINDLE MATERIAL</b>	Forged Aluminum						
<b>SPINDLE SHAFT</b>	Steel						
<b>SPINDLE BEARINGS</b>	Ball Bearing						
<b>DECK DRIVE</b>	V-Belt						
<b>DECK ENGAGEMENT</b>	Electric Clutch Ogura® GT3.5						
<b>DECK LIFT SYSTEM</b>	Foot Operated						
<b>CUTTING WIDTH</b>	60 in	52 in	60 in	72 in	60 in	60 in	60 in
<b>CUTTING HEIGHTS</b>	1.5 in - 5.5 in						
<b>CUTTING POSITIONS</b>	17						
<b>WHEELS FRONT AXLE</b>	Fixed. Greaseable Caster Fork Tubes						
<b>WHEELS (FRONT)</b>	Smooth 15 x 6 in - 6 in w/ Greaseable Tapered Roller Bearings						
<b>WHEELS (BACK)</b>	Turf 24 x 12 in - 12 in	Turf 23 x 10.5 in - 12 in	Turf 24 x 12 in - 12 in	Turf 24 x 12 in - 12 in	Turf 24 x 12 in - 12 in	Turf 24 x 12 in - 12 in	Turf 24 x 12 in - 12 in
<b>SEAT</b>	High Back Comfort w/ Full Suspension & Padded Armrests						
<b>HOURLY METER</b>	Standard						
<b>ROPS</b>	Foldable						
<b>WEIGHT</b>	1322 lbs	1302 lbs	1336 lbs	1410 lbs	1332 lbs	1355 lbs	1355 lbs
<b>LENGTH</b>	80 in	80 in	80 in	82 in	80 in	80 in	80 in
<b>WIDTH</b>	75 in	67.5 in	75 in	87 in	75 in	75 in	75 in
<b>HEIGHT W/ ROPS</b>	70 in						
<b>HEIGHT W/ ROPS FOLDED DOWN</b>	47.75 in						
<b>WIDTH W/O CHUTE</b>	63 in	55.5 in	63 in	75 in	63 in	63 in	63 in
<b>WARRANTY (UNIT)</b>	5 Year / 1250 Hour Limited Commercial / No Hour Limit First Two Years						
<b>WARRANTY (DECK SHELL &amp; FRAME)</b>	Limited Lifetime Deck Shell & Frame						
<b>ATTACHMENTS &amp; ACCESSORIES</b>	POWERED BAGGER KIT, MULCHING KIT, STRIPING KIT, DISCHARGE COVER KIT, TRAILER HITCH KIT, HEADLIGHT KIT, BAR STYLE TIRE KIT, SUN SHADE KIT, SOLID FRONT CASTER TIRE KIT, HUB CAP SET, VACUUM BAFFLE, OPERATOR CONTROLLED DISCHARGE CHUTE						

GRAVELY.COM

An Ariens Company Brand

© Copyright 2018 Ariens Company All rights reserved. Registered trademark and ™ trademark of Ariens Company, Briggs & Stratton®, Kohler®, Kawasaki®, Subaru®, Yamaha® and Hydro-Gear® are registered trademarks of their respective companies. The engine horsepower information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower will be less. Visit [gravelly.com](http://gravelly.com) for a complete listing of engine manufacturer power rating information. Product features and specifications subject to change without notice. Photos are a representation of the product; actual product may vary.

