

# PRO-TURN® 100 SERIES

LEARN MORE AT [GRAVELLY.COM](https://www.gravelly.com)

Uncompromised Gravelly performance with a slightly smaller price tag. We've taken 100 years of experience and turned the Pro-Turn 100 into the toughest, most versatile and powerful commercial value on the market.



**X-FACTOR® II DECK** The 7-gauge, all-steel welded X-Factor® II Deck is fabricated from top to bottom, providing industrial strength peace of mind that's reinforced with an exclusive limited lifetime warranty.

**CBT SYSTEM** our exclusive Constant Belt Tension System (CBT) ensures that belt tension is constant, keeping the blade tip speed and cutting results consistent.

**ROPS** foldable ROPS comes standard to provide additional protection for the operator.

**INSIGHTFUL DESIGN** an updated design creates improved operator experience, providing a clear line of sight to the deck cutting edge.

**SEATING SYSTEM** the high-back suspension seats provides improved lateral stability with added vibration control and a 4-inch seat slide for all-day comfort.



NO HOUR LIMIT

LIMITED LIFETIME DECK SHELL & FRAME

See your professional Gravelly® dealer for complete warranty details.



PRODUCT NAME	PRO-TURN 148	PRO-TURN 152	PRO-TURN 160	PRO-TURN 152	PRO-TURN 160	PRO-TURN 160	PRO-TURN 160
<b>MODEL #</b>	991128 / 991137*	991129 / 991138*	991130 / 991139*	991132 / 991135	991133	991136	991140
<b>ENGINE</b>	Kawasaki® FX691V	Kawasaki® FX691V	Kawasaki® FX730V	Kohler® ZT730 / Kohler® EZT725 EFI	Kohler® ZT740	Kohler® EZT740 EFI	Yamaha® MX800V
	Air-Cooled Vertical Twin						
	Heavy-Duty Air Cleaner						
<b>HORSEPOWER</b>	22 hp	22 hp	23.5 hp	23 hp / 22 hp	25 hp	25 hp	26 hp
<b>DISPLACEMENT</b>	726 cc	726 cc	726 cc	747 cc / 725 cc	747 cc	747 cc	824 cc
<b>DRIVE SYSTEM</b>	Hydro-Gear® ZT-3400						
<b>FUEL CAPACITY</b>	10 Gallon (37.8 L)						
<b>GROUND SPEED (APPROX. MPH) (FWD/REV)</b>	10 mph / 5 mph						
<b>STARTER</b>	Electric						
<b>DECK MATERIAL</b>	7 ga. Steel w/ .25 in Spindle Reinforcement						
<b>DECK CONSTRUCTION</b>	Fabricated						
<b>NUMBER OF SPINDLES</b>	3						
<b>BLADE TIP SPEED (FPM)</b>	18,000						
<b>SPINDLE MATERIAL</b>	Forged Aluminum						
<b>SPINDLE BEARINGS</b>	Ball Bearing						
<b>DECK ENGAGEMENT</b>	Electric Clutch Ogura® GT2.75						
<b>DECK LIFT SYSTEM</b>	Foot Operated						
<b>CUTTING WIDTH</b>	48 in	52 in	60 in	52 in	60 in	60 in	60 in
<b>CUTTING HEIGHTS</b>	1.5 in - 5.5 in						
<b>CUTTING POSITIONS</b>	17						
<b>WHEELS FRONT AXLE</b>	Fixed. Greaseable Caster Fork Tubes						
<b>WHEELS (FRONT)</b>	Smooth 13 x 6.50 in - 6 in Pneumatic w/ Greaseable Tapered Roller Bearings						
<b>WHEELS (BACK)</b>	Turf 23 x 10.5 in - 12 in						
<b>SEAT</b>	High Back Comfort w/ Full Suspension						
<b>HOURLY METER</b>	Standard						
<b>ROPS</b>	Foldable						
<b>WEIGHT</b>	1062 lbs / 1051 lbs*	1079 lbs / 1068 lbs*	1121 lbs / 1110 lbs*	1068 lbs / 1073 lbs	1110 lbs	1115 lbs	1136 lbs
<b>LENGTH</b>	78.5 in						
<b>WIDTH W/ CHUTE</b>	62 in	67.5 in	75 in	67.5 in	75 in	75 in	75 in
<b>HEIGHT W/ ROPS</b>	71 in						
<b>HEIGHT W/ ROPS FOLDED DOWN</b>	48 in						
<b>WIDTH W/O CHUTE</b>	50 in	55.5 in	63 in	55.5 in	63 in	63 in	63 in
<b>WARRANTY (UNIT)</b>	2 Year Limited Commercial						
<b>WARRANTY (DECK SHELL &amp; FRAME)</b>	Limited Lifetime Deck Shell & Frame						
<b>WARRANTY (SPINDLES)</b>	3 Year Limited Spindle						
<b>ATTACHMENTS &amp; ACCESSORIES</b>	MULCHING KIT, DISCHARGE COVER KIT, HUB CAP KIT, SOLID TIRE KIT, TRUE POWER TIRE KIT, TRAILER HITCH KIT, HEADLIGHT KIT, STRIPING KIT, SUNSHADE KIT, 2 BUCKET POWERED BAGGER KIT (8 BU.)						

**GRAVELY.COM**

An *Ariens* Company Brand

© Copyright 2017 Ariens Company All rights reserved. Registered trademark and ™ trademark of Ariens Company, Briggs & Stratton®, Kohler®, Kawasaki®, Subaru®, Yamaha® and Hydro-Gear® are registered trademarks of their respective companies. The engine horsepower information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower will be less. Visit [gravelly.com](http://gravelly.com) for a complete listing of engine manufacturer power rating information. Product features and specifications subject to change without notice. Photos are a representation of the product; actual product may vary.

